			111
	Application No.	Applicant(s)	
Notice of Allowability	10/716,268	GOPALARATNAM ET AL.	
	Examiner	Art Unit	
	Yuriy Semenenko	2841	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>02/12/2007</u> .			
2. The allowed claim(s) is/are <u>1-16</u> .			
3.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amenda 8. ☑ Examiner's Stateme 9. ☐ Other	ratent Application (PTO-413), te nent/Comment	wance

Application/Control Number: 10/716,268

Art Unit: 2841

DETAILED ACTION

Page 2

1. Amendment filed on 02/12/2007 has been entered.

In response to the Office Action dated 10/10/2006 the Applicants have not amended

any claims.

Claims 17 and 18 had been withdrawn from consideration.

Claims 1-18 are now pending in the application.

Drawings

2. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this

application because formal drawings are required. Applicant is advised to employ the

services of a competent patent draftsperson outside the Office, as the U.S. Patent and

Trademark Office no longer prepares new drawings. The corrected drawings are

required in reply to the Office action to avoid abandonment of the application. The

requirement for corrected drawings will not be held in abeyance.

Response to Arguments

Application/Control Number: 10/716,268 Page 3

Art Unit: 2841

3. Applicant's arguments, see Applicant Arguments, filed 02/12/2007, with respect to claim 1 have been fully considered and are persuasive. There is no motivation to render obvious the combination of Grimm, Ohkawa and Bruck references as a whole.

Examiner's Amendment

4. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 17 and 18 have been canceled.

The rejections of claim 1-16 have been withdrawn.

This application is in condition for allowance except for the presence of claims 17 and 18 non-elected without traverse on August 7, 2006. Accordingly, claims 17 and 18 been cancelled.

Allowed Claims

- 5.1. Claims 1-16 are allowed.
- 5.2. The following is a statement of reasons for the indication of allowance of the claims 1-16:

Application/Control Number: 10/716,268

Art Unit: 2841

The limitations "the elevated track supporting the signal lines above the electronic components such that the signal lines can be configured between the electrical components after the electronic components are configured" and "the vertical supports placed on the surface of the printed circuit board assembly amid the electrical components, wherein the elevated track is supported above the electronic components by the plurality of vertical supports "in combination with other claimed limitations in independent claim 1 is not disclosed or suggested by the prior art. Claims 2-16 are either directly or indirectly dependent upon claim 1.

Page 4

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yuriy Semenenko whose telephone number is (571) 272-6106. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean A. Reichard can be reached on (571)- 272-2800 ext. 31. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/716,268

Art Unit: 2841

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YS

DEAN A. REICHARD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800